

### HP V24v G5 FHD Monitor

### 65P63AA

Expand your view and your productivity with this 23.8-inch diagonal, FHD monitor when you're working or learning. This sleek, sizeable monitor makes computing easy and complete via a crisp, smooth screen and simple design, so you can do more everyday.

Active between

15 Jul 2022 - 31 Jul 2025

## Stock Availability

SAVEX TECHNOLOGIES PRIVATE LIMITED

See More >

List Price ₹ 7,925.00

<u>Additional Price Information</u> →



# **Specifications**

Certifications and

compliances

Aspect ratio 16:9

Backlight lamp life 30,000 hours

Backlight type Edge-lit

Bezel 3-sided micro-edge

Brightness 250 nits

Camera No integrated camera

Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CECP; CEL; CSA; EAC; ENERGY STAR®; FCC;

ISO 9241-307; KC/KCC; Microsoft WHQL Certification; NOM; PSB; RoHS; SEPA; TCO Certified; TCO

Certified Edge; TUV Bauart; TUV LBL; VCCI; Vietnam MEPS; WEEE; ISC; China Energy Label (CEL) Grade

2; California Energy Commission (CEC); WW application; ICE; UAE; Ukraine certificates; NRCS of South

Africa; TÜV Flicker free certified

Color gamut 72% NTSC

Contrast ratio 3000:1

Curvature Flat

Detachable stand Yes

Display area (metric) 52.59 x 29.58 cm

Display colors Up to 16.7 million colors supported

Display contrast ratio

(dynamic)

1000000:1

Display features On-screen controls; AMD FreeSync™; Low blue light mode; Anti-glare

Display scan frequency

(horizontal)

54-84.3 kHz

Display scan frequency

(vertical)

48-75 Hz

Display size (diagonal) 60.5 cm (23.8")

Energy star certified ENERGY STAR® certified

Flicker-free Yes (TÜV certified)

Hardness 3H

HDCP Yes, HDMI

HDMI 1.4

Horizontal viewing angle 178°

Low blue light Yes (TÜV certified)

Management Software HP Display Center

Native resolution FHD (1920 x 1080)

Non-Operating Humidity

Range

5 - 95 %

Operating humidity range 20 to 80% RH

Operating temperature

range

41 to 95°F

Panel bit depth 8 bit (6 bit + FRC)

Panel technology VA

Physical security Security lock-ready

Pixel pitch 0.27 x 0.27 mm



Pixels per inch (ppi) 93 ppi

Power 100 - 240 VAC 50/60 Hz

Power consumption 23 W (maximum), 15 W (typical), 0.5 W (standby)

Power supply type Internal

Registration required No

Resolution (maximum) FHD (1920 x 1080 @ 75 Hz)

Resolutions supported 640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 800; 1280 x 1024; 1440 x 900; 1600 x

900; 1680 x 1050; 1920 x 1080

Response time (typical) 5ms GtG (with overdrive)

Screen treatment Anti-glare

Sustainable impact

specifications

Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; 85% ITE-derived

closed loop plastic; Low Halogen

Tilt -5 to +23°

UNSPSC code 43211902

Vertical viewing angle 178°

VESA mounting 100 mm x 100 mm

VGA 1 VGA

What's in the box Monitor; HDMI cable; Warranty card; Quick Setup Poster; AC power cord; Document kit

### **Specifications**

[1] All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

[2] HDMI 1.4 or VGA required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one HDMI, VGA. The video card of the connected PC must be capable of supporting 1920 x 1080 and include one HDMI or one VGA outputs to drive the monitor at the Preferred Mode.

 $\label{eq:colors} \mbox{[3] Number of colors through A-FRC technology.}$ 

[4] EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country. Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more information.

[6] Molded pulp cushions are made from 100% recycled wood fiber and organic materials.

[7] External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Halogen.

[8] ITE Derived Closed Loop Plastic percentage is based on the definition set in the IEEE 1680.1-2018 standard.

[9] Included cables may vary by country.

[10] Lock sold separately.



[11] HP Display Center requires Windows 10 (or higher) on host PC and is available from the Windows store.

[12] Mounting hardware sold separately.

### Legal disclaimer

Product image may differ from actual product

All performance specifications are provided by the component manufacturers. Performance specifications represent the highest specification of all HP's component manufacturers' typical level specifications for performance. Actual performance may vary either higher or lower.

[6] Recycling facilities not available in all locations.

[7] FreeSync<sup>™</sup> is only available when it is connected on Display Port or HDMI. FreeSync is an AMD<sup>®</sup> technology is enabled on FHD or QHD displays AMD Radeon Graphics and/or AMD A-Series APU-compliant monitors with DisplayPort/HDMI Adaptive-Sync required. AMD 15.11 Crimson driver (or newer) required to support FreeSync over HDMI. Adaptive refresh rates vary by monitor. More information is available at www.amd.com/freesync.

EPEAT® is a registered trademark of Green Electronics Council. ENERGY STAR® is a registered mark owned by the U.S. government.